

The following was found when I did an author search in a select number of databases:

1963498/9

Inside Conferences

(c) 2008 BLDSCL all rts. reserv. All rights reserved.

01963498 Inside Conference Item ID: CN020453068

Training Pants Development in European Markets

Malowaniec, K. D.

Conference: Absorbent products conference

P; I

Kalamazoo, Marketing Technology Service, Inc, 1994

ISBN: 094297266X

Language: English Document Type: Conference Papers

Location: Charleston, SC

Date: Oct 1994 (199410) (199410)

British Library Item Location: q97/11846 Absorbent

Note:

Described as proceedings. Also known as Insight 94

Descriptors: absorbent products; insight

[File 155] MEDLINE(R) 1950-2008/Jul 23

[File 73] EMBASE 1974-2008/Jul 23

[File 5] Biosis Previews(R) 1926-2008/Jul W3

[File 23] CSA Technology Research Database 1963-2008/Jun

[File 35] Dissertation Abs Online 1861-2008/Nov

[File 65] Inside Conferences 1993-2008/Jul 24

[File 144] Pascal 1973-2008/Jul W2

[File 45] EMCare 2008/Jul W3

[File 91] MANTIS(TM) 1880-2008/Aug

[File 164] Allied & Complementary Medicine 1984-2008/Jul

[File 467] ExtraMED(m) 2000/Dec

[File 6] NTIS 1964-2008/Jul W4

[File 8] Ei Compendex(R) 1884-2008/Jul W2

[File 163] Ageline(R) 1965-2008/Jun

[File 10] AGRICOLA 70-2008/Jun

[File 322] Polymer Online

Set Items Description

S1 52605 S SUPERABSORBENT? ? OR SUPER() ABSORBENT? ? OR SAP OR
SAPS OR SLUSH() POWDER? ? OR ABSORBENTS

limitall s1

S2 5415 S PARTICLE OR PARTICLES OR FIBER OR FIBERS OR FIBRE OR
FIBRES OR STRAND OR STRANDS OR GRANULE OR GRANULES OR GEL OR GELS

S3 2353 S COATING? ? OR LAYER OR LAYERING OR COVERING

S4 14359 S PLANT OR BOTANICAL OR FLORA OR FLOWER OR TREE OR
FLORAL

S5	7354	S DERIVATIVE OR PRODUCT OR COMPONENT OR COMPOUND OR INGREDIENT
S6	11	S S1 AND S2 AND S3 AND S4 AND S5
S7	9	RD S6 (unique items)
S8	1828	S S1(10N)S2
S9	7	S S8 AND S3 AND S4
S10	7	S S9 NOT S7
S11	9220	S SUPERABSORBENT? ? OR SUPER() ABSORBENT? ? OR SLUSH() POWDER? ? OR ABSORBENTS
S12	872	S S11(10N)S2
S13	13833	S DERIVATIVE? ? OR PRODUCT? ? OR COMPONENT? ? OR COMPOND? ? OR INGREDIEN? ? OR EXTRACT? ?
S14	1041	S S4 (10N)S13
S15	5	S S12 AND S14
S16	84	S S3 (10N)S4
S17	1	S S11 AND S16
S18	6	S S15 OR S17
S19	1	S S11 AND S16
S20	176	S S1 AND S4 (10N)S5
S21	123	S S1 AND S4 (5N)S5
S22	124	S S19 OR S21
S23	122	S S22 NOT (S6 OR S18)
S24	90	RD S23 (unique items)
S25	5	S S11 AND S4(10N)S5
S26	356	S S11 AND S4
S27	13	S S26 AND S3
S28	17	S S25 OR S27
S29	17	RD S28 (unique items)

25/5/1 (Item 1 from file: 23)

CSA Technology Research Database

(c) 2008 CSA. All rights reserved.

0009630510 IP Accession No: 200807-71-0936506; 200807-61-1037016;
20080902582; A08-99-1006630

Sphagnum moss composition for the production of sheeted absorbent and method
for evaluating the potential of sphagnum moss material for absorbing liquid

Levesque, Yvon; Cote, Sylvaine; Gallagher, Denis
, USA

Publisher Url: <http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=HITOFF&u=/netahmt/PTO/search-adv.htm&r=1&p=1&f=G&l=50&d=PTXT&S1=55 31726.PN.&OS=pn/5531726&RS=PN/5531726>

Document Type: Patent

Record Type: Abstract

Language: English

File Segment: Metadex; Mechanical & Transportation Engineering Abstracts; ANTE:
Abstracts in New Technologies and Engineering; Aerospace & High Technology

Abstract:

An absorbent product containing sphagnum moss selected from the group of botanical sections consisting of PALUSTRIA, ACUTIFOLIA, RIGIDA, SUBSECUNDA and CUSPIDATA. The invention also extends to a novel method for manufacturing a highly absorbent structure and to a method for evaluating the liquid absorbent properties of a

sphagnum moss composition.

25/5/2 (Item 2 from file: 23)

CSA Technology Research Database

(c) 2008 CSA. All rights reserved.

0009568584 IP Accession No: 200807-71-0883851; 200807-61-0984361;
20080849927; A08-99-0953975

Method for manufacturing an absorbent structure using sphagnum moss material

Levesque, Yvon; Cote, Sylvaine; Gallagher, Denis
, USA

Publisher Url: <http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=HITOFF&u=/netacgi/nph-adv.htm&r=1&p=1&f=G&l=50&d=PTXT&S1=56 35029.PN.&OS=pn/5635029&RS=PN/5635029>

Document Type: Patent

Record Type: Abstract

Language: English

File Segment: Metadex; Mechanical & Transportation Engineering Abstracts; ANTE:
Abstracts in New Technologies and Engineering; Aerospace & High Technology
Abstract:

An absorbent product containing sphagnum moss selected from the group of botanical sections consisting of PALUSTRIA, ACUTIFOLIA, RIGIDA, SUBSECUNDA and CUSPIDATA. The invention also extends to a novel method for manufacturing a highly absorbent structure and to a method for evaluating the liquid absorbent properties of a sphagnum moss composition.

[File 9] Business & Industry(R) Jul/1994-2008/Jul 18

[File 16] Gale Group PROMT(R) 1990-2008/Jul 17

[File 160] Gale Group PROMT(R) 1972-1989

[File 148] Gale Group Trade & Industry DB 1976-2008/Jul 25

[File 621] Gale Group New Prod.Annou.(R) 1985-2008/Jul 07

[File 441] ESPICOM Pharm&Med DEVICE NEWS 2008/Aug W4.

[File 624] McGraw-Hill Publications 1985-2008/Jul 24

[File 635] Business Dateline(R) 1985-2008/Jul 24

[File 636] Gale Group Newsletter DB(TM) 1987-2008/Jul 18.

[File 135] NewsRx Weekly Reports 1995-2008/Jul W2

[File 98] General Sci Abs 1984-2008/Jul

[File 47] Gale Group Magazine DB(TM) 1959-2008/Jul 11

[File 141] Readers Guide 1983-2008/Apr

[File 484] Periodical Abs Plustext 1986-2008/Jul W2

Set	Items	Description
S1	7885	S SUPERABSORBENT? ? OR SUPER()ABSORBENT? ? OR SLUSH()POWDER? ? OR ABSORBENTS
		limitall sl

S2 1622 S COATING? ? OR LAYER OR LAYERING OR COVERING
S3 2716 S PLANT OR BOTANICAL OR FLORA OR FLOWER OR TREE OR
FLORAL
S4 6613 S DERIVATIVE? ? OR PRODUCT? ? OR COMPONENT? ? OR
COMPOUND? ? OR INGREDIENT? ? OR EXTRACT? ?
S5 60 S S1(S)S2 (S)S3
S6 36 S S5(S)S4
S7 27 RD S6 (UNIQUE ITEMS)
S8 24 S S5 NOT S6
S9 19 RD S8 (UNIQUE ITEMS)

[File 350] Derwent WPIX 1963-2008/UD=200846.

[File 347] J APIO Dec 1976-2007/Dec(Updated 080328)

? d s

Set Items Description
S1 6646 S SUPERABSORBENT? ? OR SUPER()ABSORBENT? ? OR
SLUSH()POWDER? ? OR ABSORBENTS
limitall sl
S2 3462 S PARTICLE OR PARTICLES OR FIBER OR FIBERS OR FIBRE OR
FIBRES OR STRAND OR STRANDS OR GRANULE OR GRANULES OR GEL OR GELS
S3 2302 S COATING? ? OR LAYER OR LAYERING OR COVERING
S4 363 S PLANT OR BOTANICAL OR FLORA OR FLOWER OR TREE OR
FLORAL
S5 3956 S DERIVATIVE? ? OR PRODUCT? ? OR COMPONENT? ? OR
COMPOUND? ? OR INGREDIENT? ? OR EXTRACT? ?
S6 226 S S1(S)S4
S7 177 S S6(S)(S2 OR S3 OR S5)
S8 1831 S S1(10N)S2
S9 47 S S8(S)S4
S10 18 S S3(10N)S4
S11 18 S S10 AND S1
S12 62 S S9 OR S11

12/25/3 (Item 3 from file: 350)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0017833999 & Drawing available

WPI Acc no: 2008-G54458/200841

XRAM Acc no: C2008-207952

XRPX Acc No: N2008-514429

Animal waste collection mat, e.g. for cat litter, includes textured layer comprising polymer and/or plant material filaments, absorbent layer, and impermeable layer

Patent Assignee: NESTEC SA (NEST)

Inventor: HUCK N; MEILINGER D; SON H

Patent Family (1 patents, 120 & countries)

Patent Number	Kind	Date	Update	Type
WO 2008051490	A2	20080502	200841	B

WO 2008051490

Local Applications (no., kind, date): WO 2007US22371 A 20071019

Priority Applications (no., kind, date): US 2006853146 P 20061020

Alerting Abstract WO A2

NOVELTY - An animal waste collection mat comprises a textured layer comprising filaments, an absorbent layer, and an impermeable layer. The filaments comprise polymer, and/or a plant material. The mat comprises aromas, fragrances, odor masking agents, and/or odor control material.

DESCRIPTION - INDEPENDENT CLAIMS are included for:

3. a kit for managing animal waste comprising in separate containers; and
4. an information communicating mechanism comprising instructions for using the waste collection mat.

USE - An animal waste collection mat, e.g. for cat litter.

ADVANTAGE - The filaments cover and camouflage fecal material. The mat is easy to clean and fits easily into typical animal lifter boxes.

DESCRIPTION OF DRAWINGS - The drawing is a sectional view of the animal waste collection mat.

12/25/9 (Item 9 from file: 350)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0016781605

WPI Acc no: 2007-496670/200748

XRAM Acc no: C2007-183126

Active-ingredient-containing capsule for plant seed or plant comprises active ingredient in liquid medium

Patent Assignee: INCOTEC INT BV (INCO-N)

Inventor: LEGRO R J; TETTEROO F A

Patent Family (3 patents, 118 & countries)

Patent Number	Kind	Date	Update	Type
WO 2007067044	A2	20070614	200748	B
EP 1795071	A1	20070613	200748	E
WO 2007067044	A3	20071004	200765	E

WO 2007067044

Local Applications (no., kind, date): WO 2006NL621 A 20061207; EP 200577818 A

20051207

Priority Applications (no., kind, date): EP 200577818 A 20051207

Alerting Abstract WO A2

NOVELTY - An active-ingredient-containing capsule comprises active ingredient in liquid medium.

DESCRIPTION - INDEPENDENT CLAIMS are included for:

9. an active-ingredient-containing pellet comprising a super absorbent polymer (SAP) and active ingredient for plant seed or plant;
10. an active-ingredient and seed-containing structure comprising seed, coating, and active ingredient present as an active-ingredient-containing pellet; and
11. a method for improving the germination of a seed-containing pellet, comprising applying 1-10 active-ingredient-containing capsule, active-ingredient-containing pellet, or active-ingredient and seed-containing structure with seed containing pellet to soil.

USE - For plant (clover, beans, lucerne, or soybean) or plant seed (claimed), e.g. used combat mildew on lettuce.

ADVANTAGE - The capsule is capable of improving the germination of the seed-containing pellet.

DESCRIPTION OF DRAWINGS - The figure is a graph showing the release of imidacloprid from a dummy in water.

12/25/11 (Item 11 from file: 350)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0015948537

WPI Acc no: 2006-480204/200649

XRAM Acc no: C2006-151372

XRPX Acc No: N2006-390531

Superabsorbent polymer particle used for core of hygienic article such as diaper, comprises base polymer having surface coating of non-reactive film forming polymer and wax

Patent Assignee: BASF AG (BADI)

Inventor: AZAD M M; HERFERT N; WOODRUM G T

Patent Family (4 patents, 112 & countries)

Patent Number	Kind	Date	Update	Type
WO 2006069732	A1	20060706	200649	B
EP 1833521	A1	20070919	200763	E
US 20080045916	A1	20080221	200816	E

WO 2006069732

Local Applications (no., kind, date): WO 2005EP13870 A 20051222; EP 2005820526 A 20051222; WO 2005EP13870 A 20051222; WO 2005EP13870 A 20051222; US

2007792452 A 20070606; CN 200580045461 A 20051222; WO 2005EP13870 A 20051222

Priority Applications (no., kind, date): US 2004640321 P 20041230; US 2007792452 A 20070606

Alerting Abstract WO A1

NOVELTY - The superabsorbent polymer particle comprises a base polymer having a surface coating comprising (in wt.%) particles of non-reactive film forming polymer (less than 0.1), wax particle (less than 0.05), or both.

DESCRIPTION - The base polymer comprises acrylic acid and/or methacrylic acid, or polyacrylic acid. The coating comprises film forming polymer chosen from homopolymer or copolymer of vinyl ester, acrylic acid ester, methacrylic acid ester, polyacetal, polyurethane, polysiloxane, polyester, epoxy resin and/or polycarbonate. Preferably the film forming polymer is styrene/butadiene copolymer, methyl methacrylate/butyl acrylate copolymer or their mixture. The wax is chosen from polyolefin wax, montan wax, fossil wax, peat wax, macro or micro crystalline paraffin wax, acid wax, ester wax, alcohol wax, amide wax, plant wax and/or animal wax. The surface coating further contains clay.

INDEPENDENT CLAIMS are included for:

12. preparing superabsorbent polymer particle; and

13. hygienic article having core comprising superabsorbent polymer particle.

USE - For use in core of hygienic article such as diaper, incontinence pad, incontinence brief, catamenial device and bandage (all claimed). Also used for storage, packaging and transportation of water sensitive articles, transportation of fish and fresh meat, for absorption of water and blood in fresh fish and meat packs, agricultural industry, retention of melt water and dew precipitates, cosmetics, carrier material for pharmaceuticals, rheumatic plaster, cooling gel, heat storage medium, filtration aid, hydrophilic component in polymer laminate, sportswear, shoe insert, synthetic fiber, construction material and fine pore formers in sintered building materials or ceramics.

ADVANTAGE - The superabsorbent polymer (SAP) particle generates reduced amount of fine sized particles of size less than 100 μm , which reduces recycling of SAP fines, reducing recycling cost. The SAP particles maintain conflicting fluid absorption properties of high centrifuge retention capacity, absorption underload and excellent permeability.

12/25/12 (Item 12 from file: 350)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0015941149

WPI Acc no: 2006-472814/200649

XRAM Acc no: C2006-148923

Super-absorbent hydrogels comprise cashew tree rubber, modified, and acrylamide and methacrylate of glycidyl and acrylamide, associated amongst themselves by copolymerization reaction, presenting a degree of intumescence between 300 and 2000
Patent Assignee: CNPQ CONSELHO NACIONAL DESENVOLVIMENTO (CNPQ-N)
Inventor: CURTI MUNIZ E; FORTI RUBIRA A; GUILHERME M R; PESSOA DE ANDRADE FEITOSA J

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Update	Type
BR 200404265	A	20060516	200649	B

BR 200404265

Local Applications (no., kind, date): BR 20044265 A 20040929

Priority Applications (no., kind, date): BR 20044265 A 20040929

BR A

NOVELTY - Super-absorbent hydrogels comprise cashew tree rubber, modified, and acrylamide and methacrylate of glycidyl and acrylamide, associated amongst themselves by copolymerization reaction, presenting a degree of intumescence of 300-2000.

12/25/39 (Item 39 from file: 350)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0008470909 & & Drawing available

WPI Acc no: 1997-549708/199750

XRAM Acc no: C1997-175347

Free-flowing incineratable absorbent granules - comprise cellulosic plant fibres and non-self associating fibres and are particularly useful for absorbing surface liquids such as aqueous fluids and oil from floor-like surfaces

Patent Assignee: 3M INNOVATIVE PROPERTIES CO (MINN); MINNESOTA MINING & MFG CO (MINN)

Inventor: BERRIGAN M R

Patent Family (15 patents, 74 & countries)

Patent Number	Kind	Date	Update	Type
WO 1997041188	A1	19971106	199750	B
AU 199727427	A	19971119	199812	E
US 5763083	A	19980609	199830	E
EP 895532	A1	19990210	199911	E
BR 199709170	A	19990803	199952	E

US 6092302	A	20000725	200038	E
JP 2000510509	W	20000815	200044	E
MX 199808785	A1	19990301	200051	E
KR 2000065038	A	20001106	200128	E
EP 895532	B1	20020710	200253	E
DE 69713880	E	20020814	200261	E
ES 2176735	T3	20021201	200305	E
MX 208343	B	20020612	200366	E
CA 2252856	C	20060620	200643	E
KR 481573	B	20050708	200660	E

WO 1997041188

Local Applications (no., kind, date): WO 1997US6913 A 19970425; AU 199727427 A 19970425; US 1996638265 A 19960426 ; EP 1997921371 A 19970425; WO 1997US6913 A 19970425; BR 19979170 A 19970425; WO 1997US6913 A 19970425; WO 1997US6913 A 19970425; US 199895 A 19980116; JP 1997539037 A 19970425; WO 1997US6913 A 19970425; MX 19988785 A 19981022; WO 1997US6913 A 19970425; KR 1998708582 A 19981026; EP 1997921371 A 19970425; WO 1997US6913 A 19970425; DE 69713880 A 19970425; EP 1997921371 A 19970425; WO 1997US6913 A 19970425; EP 1997921371 A 19970425; WO 1997US6913 A 19970425; MX 19988785 A 19981022; CA 2252856 A 19970425; WO 1997US6913 A 19970425; WO 1997US6913 A 19970425; KR 1998708582 A 19981026

Priority Applications (no., kind, date): US 1996638265 A 19960426; WO 1997US6913 A 19970425; US 199895 A 19980116

Alerting Abstract WO A1

Free flowing incinerable absorbent granules capable of absorbing oil and other liquids comprise cellulosic plant fibres and non-self associating fibres or particulates. The granules have an oil Surface Residue Value = less than 0.5g, an average density of 0.15-0.5 g/cc and are free flowing.

Also claimed is the method of making the granules.

USE - The granules are used as absorbents and are particularly well-suited to absorbing surface liquids such as aqueous fluids or oil from a floor-like surface.

ADVANTAGE - The materials are formed from low cost cellulosic plant fibres. The granules are capable of removing all oil or other fluids from a flat surface such as a floor, leaving little or no liquid surface residue (oil Surface Residue Value after 8h = less than 0.5g, most preferably less than 0.1g relative to standard 20 weight motor oil, less than 0.1g relative to water and less than 0.5g relative to synthetic blood). They can be easily swept up without dusting, are non-tacky following oil absorption, and have a density such that they do not blow away. They may be recycled for their energy value providing a material with a relatively low ash content.

STN FILE 'HCAPLUS'

L1 25882 SEA ABB=ON PLU=ON SUPERABSORBENT# OR SUPER ABSORBENT# OR SLUSH POWDER# OR ABSORBENTS

L2 8832 SEA ABB=ON PLU=ON L1 AND (PARTICLE OR FIBER OR FIBRE OR
 STRAND OR GRANULE OR GEL)
 L3 2191 SEA ABB=ON PLU=ON L2 AND (COATING OR LAYER OR LAYERING OR
 COVERING)
 L4 65 SEA ABB=ON PLU=ON L3 AND (PLANT OR BOTANICAL OR FLORA OR
 FLOWER OR TREE OR FLORAL)
 D BIB AB KWIC 1~
 L5 77013 SEA ABB=ON PLU=ON (PLANT OR BOTANICAL OR FLORA OR FLOWER OR
 TREE OR FLORAL) (5A) (DERIVATIVE OR PRODUCT OR COMPONENT OR
 COMPOUND OR INGREDIENT OR EXTRACT)
 L6 123 SEA ABB=ON PLU=ON L1 AND L5
 L7 27 SEA ABB=ON PLU=ON L6 AND (COATING OR LAYER OR LAYERING OR
 COVERING)
 L8 27 SEA ABB=ON PLU=ON L7 NOT S4
 L9 14 SEA ABB=ON PLU=ON L7 NOT L4
 D BIB AB KWIC 1~

L4 ANSWER 48 OF 65 HCPLUS COPYRIGHT 2008 ACS on STN
 AN 2001:850732 HCPLUS Full-text
 DN 135:376865
 TI Absorbent article containing plant extracts
 IN Kasai, Takao; Kondo, Megumi; Sato, Noriko; Matsui, Manabu
 PA Kao Corporation, Japan
 SO Eur. Pat. Appl., 18 pp.
 CODEN: EPXXDW
 DT Patent
 LA English
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI EP 1155703 20010508 EP 1155703 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO JP 2002113039	A2 A3 A	20011121 20030423 20020416	EP 2001-111122 EP 2001-111122 JP 2000-305961	
20001005 JP 2002045391	A	20020212	JP 2001-132698	
20010427 JP 2002146674	A	20020522	JP 2001-132699	
20010427 TW 469127	B	20011221	TW 2001-90111250	
20010511 US 20020022812	A1	20020221	US 2001-852804	
20010511 US 6800789	B2	20041005		
PRAI JP 2000-140804 JP 2000-259823 JP 2000-305961	A A A	20000512 20000829 20001005		
AB An absorbent article comprising a liq. retentive absorbent layer containing a superabsorbent polymer and a liquid-impermeable leak proof layer is disclosed. An agent having a skin care effect and substantially no decomposing action on the superabsorbent polymer is fixed on a prescribed region of the absorbent article in a state ready to be released from that region upon contact with				

moisture. An article contained citron ethanol extract and 1,3-butylene glycol.

TI Absorbent article containing plant extracts

AB An absorbent article comprising a liquid retentive absorbent layer containing a superabsorbent polymer and a liquid-impermeable leak proof layer is disclosed. An agent having a skin care effect and substantially no decomposing action on the superabsorbent polymer is fixed on a prescribed region of the absorbent article in a state ready to be released from that. . .

ST medical absorbent plant ext; diaper absorbent plant ext

IT Diapers
(absorbent article containing plant exts.)

IT Polysaccharides, biological studies
Synthetic fibers
RL: DEV (Device component use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(absorbent article containing plant exts.)

IT Medical goods
(absorbents; absorbent article containing plant exts.)

IT Citrus medica
Hamamelis
Thujopsis dolabrata
(exts.; absorbent article containing plant exts.)

IT Absorbents
(medical; absorbent article containing plant exts.)

IT 107-88-0, 1,3-Butanediol 9002-89-5, Polyvinyl alcohol
RL: DEV (Device component use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(absorbent article containing plant exts.)

L4 ANSWER 49 OF 65 HCPLUS COPYRIGHT 2008 ACS on STN
AN 2001:786768 HCPLUS Full-text
DN 135:335211

TI Absorbent products containing skin-care components and aliphatic ethers

IN Kasai, Takao; Kondo, Megumi; Sato, Noriko

PA Kao Corp., Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	----

PI JP 2001299811 A 20011030 JP 2000-121422

20000421

JP 3995388 B2 20071024

PRAI JP 2000-121422 20000421

AB The products such as disposable diapers has a liq.-holding absorbing layer and a liquid-impermeable leakage-preventing layer, and a predetd. area of the product contains drugs which inhibit rash, inflammation, etc. of user's skin and aliphatic ethers as

penetration promoters for the drugs. The penetration promoter preferably have solubility parameter 15-17. Gelation agents may be added together with the penetration promoters. An air-through nonwoven fabric made of polypropylene-polyethylene core-sheath composite fiber was coated with a composition containing Citrus junos extract 1, polyoxyethylene alkyl ethers 2, palmityl 1,3-dimethylbutyl ether, paraffin wax 50, and liquid paraffin 47 parts to give a top sheet. A nonwoven fabric sheet containing superabsorbent polymer particles was sandwiched between the top sheet and a polyethylene film to give a disposable diaper. Eight volunteers out of 10 wearing the diaper were prevented from diaper rash.

AB The products such as disposable diapers has a liquid-holding absorbing layer and a liquid-impermeable leakage-preventing layer, and a predet. area of the product contains drugs which inhibit rash, inflammation, etc. of user's skin and aliphatic ethers. . 15-17. Gelation agents may be added together with the penetration promoters. An air-through nonwoven fabric made of polypropylene-polyethylene core-sheath composite fiber was coated with a composition containing Citrus junos extract 1, polyoxyethylene alkyl ethers 2, palmityl 1,3-dimethylbutyl ether, paraffin wax 50, and liquid paraffin 47 parts to give a top sheet. A nonwoven fabric sheet containing superabsorbent polymer particles was sandwiched between the top sheet and a polyethylene film to give a disposable diaper. Eight volunteers out of 10. .

IT Medical goods
(absorbents; absorbent products such as disposable diapers containing skin-care components and aliphatic ethers as penetration promoters)

IT Cork tree (*Phellodendron*)
(bark, exts.; absorbent products such as disposable diapers containing skin-care components and aliphatic ethers as penetration promoters)

IT Absorbents
(medical; absorbent products such as disposable diapers containing skin-care components and aliphatic ethers as penetration promoters)

L4 ANSWER 55 OF 65 HCAPLUS COPYRIGHT 2008 ACS on STN
AN 1995:565254 HCAPLUS Full-text
DN 131:204656
TI Water absorbent resin compositions, their manufacture, and their products
with long-lasting deodorant effect
IN Nagasuna, Kinya; Yanase, Toru; Wada, Katsuyuki
PA Nippon Shokubai Kagaku Kogyo Co., Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 10 pp.
CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 11241030 19980224	A	19990907	JP 1998-42162	

PRAI JP 1998-42162

19980224

AB The compns. contain coniferous tree exts. and water-absorbing resins showing discontinuous absorption index under load (definition given) ≥ 0.80 . The products, useful as disposable diapers, sanitary napkins, incontinence pads, etc., have water-absorbing layer comprising ≥ 30 weight% of the compns. and fiber bases, liq-permeable surface sheet, and liquid-impermeable back sheet. Na acrylate was polymerized with polyethylene glycol diacrylate and crosslinked with propylene glycol and ethylene glycol diglycidyl ether to give water-absorbing resin (the absorption index 0.91), 100 weight parts of which was mixed with 2 weight parts hiba oil/dextrin powder to give a composition showing good deodorant effect for ≥ 24 h.

AB The compns. contain coniferous tree exts. and water-absorbing resins showing discontinuous absorption index under load (definition given) ≥ 0.80 . The products, useful as disposable diapers, sanitary napkins, incontinence pads, etc., have water-absorbing layer comprising ≥ 30 weight% of the compns. and fiber bases, liq-permeable surface sheet, and liquid-impermeable back sheet. Na acrylate was polymerized with polyethylene glycol diacrylate and crosslinked with propylene. . .

IT Absorbents
Deodorants
Disposable diapers
(deodorant water absorbent resin compns. containing coniferous tree exts. for sanitary products)

IT Essential oils
RL: PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(hiba wood; deodorant water absorbent resin compns. containing coniferous tree exts. for sanitary products)

IT Medical goods
(incontinence pads; deodorant water absorbent resin compns. containing coniferous tree exts. for sanitary products)

IT Medical goods
(sanitary napkins; deodorant water absorbent resin compns. containing coniferous tree exts. for sanitary products)

IT 206117-01-3P 220090-94-8P
RL: PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(deodorant water absorbent resin compns. containing coniferous tree exts. for sanitary products)